

BASED ON THE DECREE NO. 305/2011 OF EUROPEAN PARLIAMENT AND OF THE COUNCIL

1.	Unique	81078		
	identification code of the product type	01070		
		Name of product: ELASTOBOARD		
2.	Type and batch numbers	As given on the declaration of conformity of the product		
		As given in the ETA - 18/0169 of 27/09/2018		
3.	Intended uses	 3.1 ELASTOBOARD is a stone mineral wool board with coating 1 mm Polylack Elastic on one side, used as a filling material in fire penetration (with minimum thickness of 60 mm and minimum density of 150 kg/m³). 3.2 The intended use of ELASTOBOARD product is to fill the opening in separating element. 		
4.				
	contact address of the manufacturer	MERCOR DUNAMENTI Zrt. 2131 Göd, Nemeskéri Kiss Miklós utca 39.		
5.	Authorised representative	Not applicable		
6.	System or systems of Assessment and Verification of Constancy of Performance (AVCP)	SYSTEM (1) See table under section 9.		
7.	The construction	product is not covered by a harmonised standard (hEN)		
8.	The declaration of performance concerns construction product for	For the fire protective product ELASTOBOARD an ETA has been issued by Instytut Techniki Budowlanej (ITB, Poland) with No. ETA -18/0169 of 27/09/2018 The ETA's have been issued according to the EAD 350454-00-1104		
	which a European Technical Approval has been issued	Notified product certification body: ITB No. 1488 Certificate of Constancy of Performance: 1488-CPR-0701/W		
9.	Declared perforn	nance		

Essential characteristics	AVCP systems	Performance	Harmonised technical specification		
Mechanical resistance and stability (BWR 1)	l Not applicable				
Safety in case of fire (BWR	Safety in case of fire (BWR 2)				
Reaction to fire	1	Class E	ETA - 18/0169 of 27/09/2018 EAD 350454- 00-1104		
Resistance to fire	1	Annex C ETA - 18/0169 of 27/09/2018 This characteristic depends on the tested set. The performance of the product is determined and analysed according to the principles defined in EN 1366-3/2009 and provided by the manufacturer in accordance with the intended use in part 3 of this document. The classes of performance are established and declared in an assessment document in accordance with the applicable part of EN 13501.	ETA - 18/0169 of 27/09/2018		
Hygiene, Health and the Er	 nvironment	(BWR 3)			
Air permeability	-	NPD (No Performance Declared)			
Water permeability	-	NPD (No Performance Declared)			
Release of dangerous substance	1	The applicant has submitted a written declaration that the products and/or constituents of the products contain no substances which have been classified as a dangerous according to EOTA TR 34. Regarding the dangerous substances, there may be	ETA - 18/0169 of 27/09/2018 EAD 350454- 00-1104		

		requirements applicable to the products falling within its scope (e.g. transposed European legislation and national laws, regulations and administrative provisions). In order to meet the provision of the Construction Products Regulation, these requirements need also to be complied with when and where they apply.		
Safety and accessibility in use (BWR 4)				
Mechanical resistance and stability:	-	NPD (No Performance Declared)		
Resistance to impact and movement:	-	NPD (No Performance Declared)		
Adhesion:	-	NPD (No Performance Declared)		
Basic durability assessment:	1	Use category: Type Z ₁	ETA - 18/0169 of 27/09/2018 EAD 350454- 00-1104	
Protection against noise (BWR 5)				
Airborne sound insulation:	-	NPD (No Performance Declared)		
Energy Economy and Heat	Energy Economy and Heat Retention (BWR 6)			
Thermal conductivity:	-	NPD (No Performance Declared)		
Water vapour permeability	-	NPD (No Performance Declared)		
	•			

The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9.

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

Sebestyén Tibor Executive Director



BASED ON THE DECREE NO. 305/2011 OF EUROPEAN PARLIAMENT AND OF THE COUNCIL

1.	Unique identification code of the product type	81078		
		Name of product: DUNABOARD ELASTIC		
2.	Type and batch numbers	As given on the declaration of conformity of the product		
3.	Intended uses	As given in the ETA-19/0321 of 26/08/2019 3.1 DUNABOARD ELASTIC is a stone mineral wool board with coating 1 mm Polylack Elastic on one side, used as a filling material in fire penetration (with minimum thickness of 60 mm and minimum density of 150 kg/m³). 3.2 The intended use of DUNABOARD ELASTIC product is to fill the opening in separating element.		
4.	Name and contact address of the manufacturer	MERCOR DUNAMENTI Zrt. 2131 Göd, Nemeskéri Kiss Miklós utca 39.		
5.	Authorised representative	Not applicable		
6.	System or systems of Assessment and Verification of Constancy of Performance (AVCP)	SYSTEM (1) See table under section 9.		
7.	The construction	product is not covered by a harmonised standard (hEN)		
8.	The declaration of performance concerns construction product for	For the fire protective product DUNABOARD ELASTIC an ETA has been issued by FIRES Sro. (FIRES, Batizovce) with No. ETA-19/0321 of 26/08/2019. The ETA's have been issued according to the EAD 350454-00-1104		
	which a European Technical Approval has been issued	Notified product certification body: FIRES No. 1396 Certificate of Constancy of Performance: 1396-CPR-0160		
9.	Declared performance			

Essential characteristics	AVCP systems	Performance	Harmonise technical specificatio		
Mechanical resistance and stability (BWR 1)	Not applic	able			
Safety in case of fire (BWR	Safety in case of fire (BWR 2)				
Reaction to fire	1	Annex C	ETA-19/0321 26/08/2019 EAD 35045/ 00-1104		
		Annex D			
Resistance to fire	1	of ETA-19/0321 of 26/08/2019 This characteristic depends on the tested set. The performance of the product is determined and analysed according to the principles defined in EN 1366-3/2009 and provided by the manufacturer in accordance with the intended use in part 3 of this document. The classes of performance are established and declared in an assessment document in accordance with the applicable part of EN 13501.	ETA-19/0321 26/08/2019		
Hygiene, Health and the Er	nvironment	(BWR 3)			
Air permeability	-	NPD (No Performance Declared)			
Water permeability	-	NPD (No Performance Declared)			
Release of dangerous substance	1	The applicant has submitted a written declaration that the products and/or constituents of the products contain no substances which have been classified as a dangerous according to EOTA TR 34. Regarding the dangerous substances, there may be	ETA-19/0321 26/08/2019 EAD 35045 00-1104		

		requirements applicable to the products falling within its scope (e.g. transposed European legislation and national laws, regulations and administrative provisions). In order to meet the provision of the Construction Products Regulation, these requirements need also to be complied with when and where they apply.		
Safety and accessibility in use (BWR 4)				
Mechanical resistance and stability:	-	NPD (No Performance Declared)		
Resistance to impact and movement:	-	NPD (No Performance Declared)		
Adhesion:	-	NPD (No Performance Declared)		
Basic durability assessment:	1	Use category: Type Z ₂	ETA-26/08/2019 EAD 350454-00-1104	
Protection against noise (E	Protection against noise (BWR 5)			
Airborne sound insulation:	-	NPD (No Performance Declared)		
Energy Economy and Heat	Energy Economy and Heat Retention (BWR 6)			
Thermal conductivity:	-	NPD (No Performance Declared)		
Water vapour permeability	-	NPD (No Performance Declared)		
•	•			

The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9.

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.

Signed for and on behalf of the manufacturer by:

Sebestyén Tibor Executive Director